

For a Sustainable Future

Since 1981  
Desde 1981

Celebrating 40th Year  
Celebrating 40th años



*Yüziak*<sup>®</sup>  
Irrigation Systems





**Agronema**  
agriculture and industrial supplies

**Agronema.com**



**E-mail:**

**info@agronea.com**  
**sales@agronea.com**

Tel: +49 06048 9529830    Deutsch/English  
Mobile: +49 162 9158001    Deutsch only



WP



<https://www.facebook.com/Agronema.official/>








[https://www.youtube.com/channel/UCe9vRIjWGV5Fj\\_vLx\\_ihOZQ](https://www.youtube.com/channel/UCe9vRIjWGV5Fj_vLx_ihOZQ)



<https://www.instagram.com/agronea.official/>

**Yuzuak Sprinklers , Connections Stands and Parts 2021 - 2 Price List**



Product Code	Agronema.com info@agronea.com +49 162 9158001			Euro Pallet Capacity (100x120x175H)
YZK001 - BSP	<p align="center"><b>Yuzuak JET30S</b>                      Nozzles : 10mm -12mm -14mm -16mm -18mm                      Body Angle 28°                      Inlet Size 1,5" Female</p>			72 PCS
YZK002 - NPT				
YZK003 - BSP	<p align="center"><b>Yuzuak JET35</b>                      Standart Nozzles : 10mm-12mm-14mm-16mm-18mm                      Body Angle 24°                      Inlet Size 1,5" Female</p>			72 PCS
YZK004 - NPT				
YZK005 - BSP	<p align="center"><b>Yuzuak JET40</b>                      Standart Nozzles : 10mm - 12mm - 14mm - 16mm                      18mm - 20mm-22mm                      Body Angle 25°                      Inlet Size 2" Female</p>			66 PCS
YZK006 - NPT				
YZK007 - BSP	<p align="center"><b>Yuzuak JET50</b>                      Standart Nozzles : 14mm-16mm-18mm-20mm-22mm-24mm                      Body Angle 25°                      Inlet Size 2" Female</p>			60 PCS
YZK008 - NPT				
YZK009 - BSP	<p align="center"><b>Yuzuak JET55</b>                      Standart Nozzles : 20mm- 22mm- 24mm- 26mm- 28mm                      Body Angle 25°                      Inlet Size 2,5 " Female With Qucik Coupling</p>			40 PCS
YZK010 - NPT				
YZK011	<p align="center"><b>Yuzuak JET65</b>                      Standart Nozzles : 24mm- 26mm - 28mm - 30mm -32mm                      Body Angle 24°                      Inlet Size : 78mm x 130 mm Flange                      Connection</p>			21 PCS
YZK012	<p align="center"><b>Yuzuak JET70</b>                      Adjustable Speed Control Nozzle                      Standart Nozzles : 28mm - 30mm - 32mm - 34mm                      Optionally Nozzles : 24mm - 36mm - 38mm - 40mm- 42mm                      Body Angle 23°                      Inlet Size : 78 X 145 Flange Connection</p>			12 PCS L: 135cm W: 100cm H: 115Cm

**Yuzuak Sprinklers , Connections Stands and Parts 2021 - 2 Price List**



Product Code	Agronema.com info@agronea.com +49 162 9158001		Euro Pallet Capacity (100x120x175H)
YZK015 - BSP	<p align="center"><b>Yuzuak JET35T</b></p> <p>For Clean and Dirty Water Raingun  <b>Dirty Water Nozzles</b> :12mm -14mm- 16mm- 18mm  <b>Standart Nozzles</b> :10mm-12mm-14mm-16mm-18mm  <b>Body Angle 25°</b>  <b>Inlet Size 2 " Female</b></p>		72 PCS
YZK016 - NPT			
YZK017 - BSP	<p align="center"><b>Yuzuak JET50T</b></p> <p>For Clean and Dirty Water Raingun  <b>Dirty Water Nozzles</b>:14mm-16mm-18mm-20mm-22mm- 24mm  <b>Standart Nozzles</b> : 14mm -16mm -18mm -20mm- 22mm  <b>Body Angle 25°</b>  <b>Inlet Size 2 " Female</b></p>		60 PCS
YZK018 - NPT			
YZK033	<p align="center"><b>Yuzuak JET65 T</b></p> <p>For Clean and Dirty Water Raingun  <b>Dirty Water Nozzles</b> : 20mm- 22mm - 24mm - 26mm -28mm  <b>Standart Nozzles</b> : 20mm- 22mm - 24mm -26mm - 28mm- 30mm  <b>Body Angle 24°</b>  <b>Inlet Size : 78mm x 130 mm Flange Connection</b></p>		21 PCS
YZK019 - BSP	<p align="center"><b>Yuzuak TURFJET</b></p> <p>( Small Turbine Drive Raingun for Horse Arenas and Turf Irrigation  or Synthetic Turf Cooling )  <b>Nozzles</b> : 12mm- 14mm -16mm - 18mm - 20mm - 22mm  <b>Body Angle 25°</b>  <b>Inlet Size 2 " Female</b></p>		72 PCS
YZK020 - NPT			
YZK019S - BSP	<p align="center"><b>Yuzuak SUPER TURFJET</b></p> <p>( Small Turbine Drive Raingun for Horse Arenas and Turf Irrigation  or Synthetic Turf Cooling )  <b>Nozzles</b> : 18mm - 20mm - 22mm -24mm-26mm-28mm  <b>Body Angle 24°</b>  <b>Inlet Size 2 " Female</b></p>		60 pcs
YZK020S - NPT			
YZK021 - BSP	<p align="center"><b>Yuzuak PIVOTJET</b></p> <p>( Center Pivot End Gun or Windy Fields Raingun )  <b>Nozzles</b> : 12mm - 14mm - 16mm - 18mm  <b>Body Angle 18°</b>  <b>Inlet Size 1,5 "</b></p>		60 PCS
YZK022 - NPT			



Yuzuak Sprinklers , Connections Stands and Parts 2021 - 2 Price List



Product Code	Agronema.com info@agronea.com +49 162 9158001			Euro Pallet Capacity (100x120x175H)
YZK023 - BSP	<p><b>Yuzuak DUSTJET</b> Dust Control Raingun For Mining Nozzles : 14mm - 16mm - 18mm - 20mm - 22mm - 24mm Body Angle 43° Inlet Size 2 " Female</p>			60 PCS
YZK024 - NPT				
YZK025	<p><b>Yuzuak Super DUSTJET</b> Dust Control Raingun For Mining Optionally Suitable For Seawater Nozzles : 22mm - 24mm - 26mm - 28mm - 30mm - 32mm Body Angle 43° Inlet Size : 78mm x 130 mm Flange Connection</p>			21 PCS
YZK026	<p><b>Yuzuak Fire JET</b> Short Barrel High Volume Raingun Suitable for Seawater Standart Nozzles : 30mm-32mm-34mm-36mm Inlet Size : Flange Connection (145mm x 78mm ) <b>Working Pressure : 4 kg/cm<sup>2</sup> - 11 kg/cm<sup>2</sup></b></p>			21 PCS
YZK027 - BSP	<p><b>Yuzuak RED ATOM28</b> Brass and Stainless Steel Spindle and Part Circle Full Metal Body Standart Nozzles : 10mm - 12mm - 14mm Inlet Size : 1,5" Female</p>			252 PCS
YZK028 - NPT				
YZK029 - BSP	<p><b>Yuzuak RED ATOM40</b> Brass and Stainless Steel Spindle and Part Circle Standart Nozzles : 14mm - 16mm - 18mm -20mm Inlet Size : 2 " Female</p>			90 PCS
YZK030 - NPT				
YZK031 - BSP	<p><b>Yuzuak Dustjet 27°</b> Standart Nozzles : 14mm-16mm-18mm -20mm -22mm - 24mm Body Angle 27° Inlet Size 2" Female</p>			60 PCS
YZK032 - NPT	<p><b>Yuzuak Dustjet 27°</b> Standart Nozzles : 14mm-16mm-18mm -20mm -22mm - 24mm Body Angle 27° Inlet Size 2" Female</p>			

**Yuzuak Sprinklers , Connections Stands and Parts 2021 - 2 Price List**



Product Code	Agronema.com info@agronea.com +49 162 9158001		Euro Pallet Capacity (100x120x210H)
YZK033	<p><b>Yuzuak ATOM14 FC</b>                      Full Circle 3/4" Impact Sprinkler                      Standart Nozzle :                      5mm(Yellow) - 4mm(Black)                      Front &amp; Back Water Breaker                      Body Angle 25° &amp; 25°                      Inlet Size : 3/4" male                      1 Box 60 PCS</p>		2160 PCS
YZK034	<p><b>Yuzuak ATOM14 WFC</b>                      Full Circle Wedge Drive 3/4" Impact Sprinkler                      Standart Nozzle :                      4mm(RED) - 2,5mm(Turquoise)                      Body Angle 25° &amp; 25°                      Inlet Size : 3/4" male                      1 Box 60 PCS</p>		2160 PCS
YZK034WB	<p><b>Yuzuak ATOM14 WWB</b>                      Full Circle Wedge Drive 3/4" Impact Sprinkler                      Standart Nozzle :                      4mm(RED) - 2,5mm(Turquoise)                      With Weights + Front Breaker                      Body Angle 25° &amp; 25°                      Inlet Size : 3/4" male                      1 Box 60 PCS</p>		2160 PCS
YZKA14 - 1Re	<p>3/4" - 1" Plastic Reduction</p>		100pcs
YZK035	<p><b>Yuzuak ATOM15 FC</b>                      Full Circle 1" Impact Sprinkler                      Standart Nozzle :                      6mm(orange) - 3,2mm(dark green)                      Body Angle 22° &amp; 27°                      Inlet Size : 1" Female                      1 Box40 PCS</p>		1440 pcs
YZK036	<p><b>Yuzuak ATOM15 PC</b>                      1" Part or Full circle Impact Sprinkler                      Standart Nozzles : 5.5mm (White)                      Body Angle 23°                      Inlet Size : 1" Female                      1 Box 40 PCS</p>		1080 pcs
YZK037	<p><b>Yuzuak ATOM15 LF</b>                      Full Circle 1" Impact Sprinkler                      Standart Nozzle :                      4,5 mm (Black) x 2,5mm (Turquoise)                      Body Angle 22° &amp; 27°                      Inlet Size : 1" Female                      1 Box 40 PCS</p>		1440 pcs
YZK038	<p><b>Yuzuak ATOM15 LF PC</b>                      1" Part or Full circle Impact Sprinkler                      Standart Nozzles : 4.5mm ( Black )                      Body Angle 23°                      Inlet Size : 1" Female Female                      1 Box 40 PCS</p>		1080 pcs
YZK039	<p><b>Yuzuak ATOM15 LA</b>                      Full Circle 1" Impact Sprinkler ,                      Undertree Irrigation Or Pivot Sprinklers                      Standart Nozzle :5.5mm(White) - 2,5 mm( turquoise)                      Body Angle 7° &amp; 10°                      Inlet Size : 1" Female                      1 Box 50 PCS</p>		1440 pcs
YZK040	<p><b>Yuzuak ATOM15 LA LF</b>                      Full Circle 1" Impact Sprinkler ,                      Undertree Irrigation Or Pivot Sprinklers                      Standart Nozzle :4.5mm(Black) - 2.5 mm(turquoise)                      Body Angle 7° &amp; 10°                      Inlet Size : 1" Female                      1 Box 40 PCS</p>		1440 pcs

Yuzuak Sprinklers , Connections Stands and Parts 2021 - 2 Price List



Product Code

**Agronema.com**  
**info@agronema.com**  
**+49 162 9158001**

Euro Pallet  
 Capacity  
 (100x120x210H)

YZK054-BSP

**Yuzuak ATOM22 ECO FC**  
**Plastic Spindle** and **Full Circle** ,  
 Standart Nozzles : 6mm - 8mm - 10mm  
 Inlet Size : 1" Female



900 pcs

YZK055 - NPT

YZK056FC - BSP

**Yuzuak ATOM22 FC**  
**Full Brass Spindle** and **Full Circle**  
 Standart Nozzles : 6mm - 8mm - 10mm  
 Inlet Size : 1" Female




432 pcs

YZK057FC - NPT

YZK056 - BSP

**Yuzuak ATOM22 PC**  
**Full Brass Spindle** and **Full & Part Circle**  
 Standart Nozzles : 6mm - 8mm - 10mm  
**Brass Water Breaker**  
 Inlet Size : 1" Female



432 pcs

YZK057 - NPT

YZK058 - BSP

**Yuzuak ATOM28 ECO**  
 Aluminium body and aluminium lower body  
**Full & Part Circle**  
 Standart Nozzles : 10mm - 12mm - 14mm  
 Inlet Size : 1,5" Female



300 pcs

YZK059 - NPT

YZK060FC -BSP

**Yuzuak ATOM28 X FC**  
 Aluminium body,Brass and Stainless Steel Spindle  
**Full Circle**  
 Standart Nozzles : 10mm - 12mm - 14mm  
 Inlet Size : 1,25" Female



300 pcs

YZK061FC -NPT

YZK060 - BSP

**Yuzuak ATOM28 X**  
 Brass and Stainless Steel Spindle and **Full & Part Circle**  
**Full Metal Body**  
 Standart Nozzles : 10mm - 12mm - 14mm  
**Inlet Size : 1,25" Female**



300 pcs

YZK061 - NPT

YZK072 - BSP

**Yuzuak ATOM28**  
 Brass and Stainless Steel Spindle and Part Circle  
**Full Metal Body**  
 Standart Nozzles : 10mm - 12mm - 14mm  
 Inlet Size : 1,5" Female



300 pcs

YZK073 - NPT







**Yuzuak Sprinklers , Connections Stands and Parts 2021 - 2 Price List**



Product Code	Agronema.com info@agronea.com +49 162 9158001			Euro Pallet Capacity (100x120x195H)
YZK062 - BSP	<p><b>Yuzuak ATOM30 X FC</b> Brass and Stainless Steel Spindle <b>Full Circle</b> Standart Nozzles : 7mm X 8mm - 10mm - 12mm Inlet Size : 1,25" Female <b>Will be Ready After June 2021</b></p>	 ATOM30X FC 1 1/4"		
YZK063 - NPT			 Yuzuak ATOM30 FC Brass and Stainless Steel Spindle <b>Full Circle</b> Standart Nozzle : 7mm X 8mm-10mm-12mm-14mm Inlet Size : 1,5" Female <b>Will be Ready After June 2021</b>	
YZK064 - BSP	<p><b>Yuzuak ATOM30 PC</b> Brass and Stainless Steel Spindle and <b>Full &amp; Part Circle</b> Standart Nozzles : 8mm -10mm - 12mm - 14mm -16mm Inlet Size : 1,5" Female</p>			
YZK067 - NPT			<p><b>Yuzuak ATOM35</b> Brass and Stainless Steel Spindle and Part Circle <b>Standart Aluminium Nozzles</b> : 12mm -14mm -16mm - 18mm Inlet Size : 1,5" Female Body Angle : 27°</p>	
YZK074 - BSP	<p><b>Yuzuak ATOM40</b> Brass Spindle and Part Circle <b>Suitable For as Endgun For Pivots and Windy Fields</b> Standart Nozzles : 14mm - 16mm - 18mm - 20mm Inlet Size : 2 " Female Body Angle : 24°</p>			
YZK075 - NPT			<p><b>Yuzuak ATOM42 FC</b> High Performance Full Circle Impact Sprinkler Standart Nozzles : 14mm -16mm - 18mm - 20mm - 22mm Inlet Size : 2" Female</p>	
YZK076 - BSP	YZK079 - NPT			









**Yuzuak Sprinklers , Connections Stands and Parts 2021 - 2 Price List**

Product Code		Agronema.com info@agronea.com +49 162 9158001		MOQ
YZK090E	<b>Mini ECO 1" PVC Connection Stand</b> Water Line Pipe 1" <b>PVC</b> Pipe Height : <b>100 cm PVC</b> Maximum Work Pressure : 4 kg/cm2 ( 56 psi) Weight : 4 kg (Recommended 1" Sprinkler )			10 PCS
YZK090 - BSP	<b>Mini ECO 1" Connection Stand</b> Water Line Pipe 1" <b>Aluminium</b> Pipe Height : <b>75 cm</b> Maximum Work Pressure : 4 kg/cm2 ( 56 psi) Weight : 4 kg (Recommended For 1" Sprinkler )			10 PCS
YZK091 - NPT				
YZK092 - BSP	<b>PRO ECO 1,5" Connection Stand</b> <b>Adjustable Height Legs</b> Main Water Pipe 1,5" - 85 cm Maximum Work Pressure : 4 kg/cm2 ( 56 psi) Weight : 8 kg (Recommended For 1,5" Atom Series)			10 PCS
YZK093 - NPT				
YZK092P4 - BSP	<b>PRO ECO 4 Pod 1,5" Connection Stand</b> Water Line Pipe 1,5" - 85 cm Pipe Height : 85 cm Maximum Work Pressure : 4 kg/cm2 ( 56 psi) Weight : 8 kg (Recommended Atom35 and JET35 Series)			10 PCS
YZK093P4 - NPT				
YZK094 - BSP	<b>3 Pod 2" Connection Stand With Quick Coupling</b> Adjustable Legs Water Input : 2" Water Output : 1,5" Male Quick Coupling Pipe Height : 85 cm Maximum Work Pressure : 5 kg/cm2 ( 70 psi) Weight : 11 kg			10 PCS
YZK095 - NPT				
Motopump	<b>Male Ø75 QC For Connection Stands</b> Ø75 For Sprinkler System 2" Female Screw Suitable for Connection Stand for use with HDPE pipes with quick coupling			10 pcs

Our connection stands are painted with powder paint as a standard.  
 Optional powder paint on electro galvanized coating or powder paint varnish on electro galvanized coating are available.

**Yuzuak Sprinklers , Connections Stands and Parts 2021 - 2 Price List**

Product Code		Agronema.com info@agronema.com +49 162 9158001	MOQ
YZK096 - BSP	<b>4 Pod 2" Connection Stand With Quick Coupling</b> Adjustable Legs Water Input : 2" Water Output : <b>2" Male Quick Coupling</b> Pipe Height : 100 cm Maximum Work Pressure : 5 kg/cm2 ( 70 psi) Weight : 13 kg		10 PCS
YZK097- NPT			
YZK096A - BSP	<b>4 Pod 2" Connection Stand With Quick Coupling</b> Adjustable Legs Water Input : 2" Water Output : <b>1,5" Male Quick Coupling</b> Pipe Height : 100 cm Maximum Work Pressure : 5 kg/cm2 ( 70 psi) Weight : 13 kg		
YZK097A- NPT			
YZK098 - BSP	<b>4 Pod 2" Connection Stand</b> Adjustable Legs Water Pipe Line : 2 " Pipe Height : 100 cm Maximum Work Pressure : 5 kg/cm2 ( 70 psi) Weight : 12 kg		10 PCS
YZK099 - NPT			
YZK100 - BSP	<b>4 Pod 2,5 " Connection Stand</b> Adjustable Legs Water Pipe Line : 2,5 " Pipe Height : 75 cm Maximum Work Pressure : 5 kg/cm2 ( 70 psi) Weight : 14 kg		10 PCS
YZK102 - BSP	<b>4 Pod 3 " Connection Stand</b> Adjustable Legs Water Pipe Line : 3 " Pipe Height : 75 cm Maximum Work Pressure : 5 kg/cm2 ( 70 psi) Weight : 18 kg		
YZK103-BSP	<b>High PRO ECO 1,5" Connection Stand</b> Water Line Pipe 1,5 " Pipe Height : 85 cm + 85 cm = 170cm (With Mansoon) Maximum Work Pressure : 3 kg/cm2 ( 56 psi) Weight : 9 kg (Recommended For B30 and Atom Series)		10 PCS
YZK104-NPT			
YZK105-BSP	<b>High 4 Pod 2" Connection Stand With Quick Coupling</b> Adjustable Legs Water Input : 2" Water Output : 2 " Pipe Height : 100 cm + 100cm = 200 cm ( With Mansoon) Maximum Work Pressure : 4 kg/cm2 ( 70 psi) Weight : 19 kg		10 PCS
YZK106-NPT			











Our connection stands are painted with powder paint as a standard.  
 Optional powder paint on electro galvanized coating or powder paint varnish on electro galvanized coating are available.

## Yuzuak Sprinklers , Connections Stands and Parts 2021 - 2 Price List

Product Code		Agronema.com info@agrone.com +49 162 9158001	MOQ
YZK110	<p><b>Slide Base Sprinkler Chart 3/4"</b> Water Pipe Line : Male 3/4 " (BSP - NPT Compatible) Height : 12 cm Maximum Work Pressure : 5 kg/cm2 ( 70 psi) Weight : 4 kg Come With Atom15 PC LF Sprinkler</p>		10 PCS
YZK111	<p><b>Slide Base Sprinkler Chart 1"</b> Water Pipe Line : Male 1 " (BSP - NPT Compatible) Height : 12 cm Maximum Work Pressure : 5 kg/cm2 ( 70 psi) Weight : 4,5 kg Come With Atom22 Sprinkler</p>		10 PCS
YZK112	<p><b>Wheeled Raingun Cart 3/4"</b> Water Pipe Line : 3/4" - (BSP - NPT Compatible) Pipe Height : 60 cm Maximum Work Pressure : 5 kg/cm2 ( 70 psi) Weight : 3,5 kg Recommended for 3/4 " Sprinklers</p>		10 PCS
YZK113	<p><b>Wheeled Raingun Cart 1"</b> Water Pipe Line : 1" - (BSP - NPT Compatible) Pipe Height : 60 cm Maximum Work Pressure : 5 kg/cm2 ( 70 psi) Weight : 5 kg Recommended for 1 " Sprinklers</p>		
YZK114 - BSP	<p><b>Wheeled Raingun Cart 1,5"</b> Water Pipe Line : 1,5 " Pipe Height : 40 cm Maximum Work Pressure : 5 kg/cm2 ( 70 psi) Weight : 13 kg Recommended for 1,5" Sprinklers</p>		10 PCS
YZK115 - NPT			
YZK116 - BSP	<p><b>Wheeled Raingun Cart With 2"</b> Water Pipe Line : 2 " Pipe Height : 40 cm Maximum Work Pressure : 5 kg/cm2 ( 70 psi) Weight : 20 kg Recommended for 1,5" &amp; 2" Rainguns <b>Adjustable Tyre Width</b></p>		5 PCS
YZK117 - NPT			
YZK118 - BSP	<p><b>2" Raingun Chart With Hose Reel</b> <b>Adjustable Tyre Width</b> <b>Reel Outside Diameter 70 cm</b> <b>Box Dimensions : 120cm X 80 cm X 40 cm</b> <b>Weight : 30 kg</b></p>		5 PCS
YZK119 - NPT			
YZK120 - BSP	<p><b>2" Raingun Chart With Hose &amp; Hose Reel + Raingun</b> it's have 25meter 2" PVC Layflat Hose with Hose coupling and with Atom40 Raingun . List price include 2" 25meter pvc layflat hose + 2" male &amp; Female hose Coupling and Female inlet Coupling <b>Adjustable Tyre Width</b> <b>Reel Outside Diameter 70 cm</b> <b>Box Dimensions : 120cm X 80 cm X 40 cm</b> <b>Weight : 70 kg</b></p>		2 PCS
YZK121 - NPT			
YZK122 - BSP	<p><b>2" Riser Pipe With 2" Female QC</b> Pipe Length : 100 cm and Male screw 2"</p>		10 PCS
YZK123 - NPT			
YZK124 - BSP	<p>1" Quick Coupling with Elbow and with 1,25" Hose Barbed Male Connector Suitable for 1" Mini Eco Connection Stant Barbed Size for 1,25" Hose</p>		10 pcs
YZK125 - BSP	<p>1,5" Quick Coupling with Female Screw Elbow with 2" Hose Barbed Male Connector Suitable for 1,5" Pro Eco Connection Stants Barbed Size for 2" Layflat Hose</p>		10 pcs
YZK126 - BSP	<p>2" Quick Coupling with 2" Female Screw Elbow with 2" Hose Barbed Male Connector Suitable for 2" Connection Stants Barbed Size for 2" Layflat Hose</p>		10 pcs

Our connection stands are painted with powder paint as a standard.  
Optional powder paint on electro galvanized coating or powder paint varnish on electro galvanized coating are available.

## Yuzuak Sprinklers , Connections Stands and Parts 2021 - 2 Price List

Product Code		Agronema.com info@agronea.com +49 162 9158001	MOQ
CSET001	<b>1" Raingun Cart + Atom22 Sprinkler</b> 1" Female Coupling With Male Screw X 2 pcs 1" Male Coupling with 1" Hose Barbed X 2 pcs		10 PCS
CSET002	<b>1" Raingun Cart + Atom22 Sprinkler</b> 1" Female Coupling With Male Screw X 2 pcs 1" Male Coupling with 1" Hose Barbed X 2 pcs 25 Meter 1" Thermo Hose + 2 Coupling		10 PCS
CSET003-BSP	<b>1,5" Raingun Cart + Atom28 Sprinkler</b> 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps		10 PCS
CSET003-NPT			
CSET004-BSP	<b>1,5" Raingun Cart + Atom35 Sprinkler</b> 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps		10 PCS
CSET004-NPT			
CSET005-BSP	<b>2" Raingun Cart + Atom40 Sprinkler</b> 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps		10 PCS
CSET005-NPT			
CSET006-BSP	<b>2" Raingun Cart + Turfjet Sprinkler</b> 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps		10 PCS
CSET006-NPT			
CSET007-BSP	<b>2" Raingun Cart + JET35T Sprinkler</b> 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps		10 PCS
CSET007-NPT			
CSET008-BSP	<b>2" Raingun Cart + JET50T Sprinkler</b> 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps		10 PCS
CSET008-NPT			
CSET009-BSP	<b>2" Raingun Cart + JET50 Sprinkler</b> 2" Female Coupling With Male Screw X 2 pcs 2" Male Coupling with 2" Layflat Barbed X 2 pcs 50 Meter 2" Layflat Hose with Clamps		10 PCS
CSET009-NPT			

Our connection stands are painted with powder paint as a standard.  
 Optional powder paint on electro galvanized coating or powder paint varnish on electro galvanized coating are available.

## Yuzuak Sprinklers , Connections Stands and Parts 2021 - 2 Price List







Product Code			Agronema.com info@agronea.com +49 162 9158001
YZK130B	Quick Coupling System For 1" Hose Barbed Connection Ø32 Female B Part Inlet 1" Hose Connection		 <p>Ø32 B Part      Ø32 A Part</p> <p>1" Hose Barbed</p>
YZK130A	Quick Coupling System For 1" Hose Barbed Connection Ø32 Male A Part inlet 1" Hose Connection		
YZK130S	Quick Coupling System For 1" Hose Connection <b>Set Price (B Part + A Part)</b> Ø32 Female B Part Inlet 1" Hose Connection Ø32 Male A Part inlet 1" Hose Connection		
YZK132B	Quick Coupling System For 1,25" Hose Barbed Connection Ø32 Female B Part Inlet 1,25" Hose Connection		 <p>Ø32 B Part      Ø32 A Part</p> <p>1,25" Hose Barbed</p>
YZK132A	Quick Coupling System For 1,25" Hose Barbed Connection Ø32 Male A Part inlet 1,25" Hose Connection		
YZK132S	Quick Coupling System For 1" Hose Connection <b>Set Price (B Part + A Part)</b> Ø32 Female B Part Inlet 1,25" Hose Connection Ø32 Male A Part inlet 1,25" Hose Connection		
YZK133B	Quick Coupling System For 1" BSP Connection Ø32 Female B Part Inlet 1" BSP Connection		 <p>Ø32 B Part      Ø32 A Part</p> <p>1" Screw Connection</p>
YZK133A	Quick Coupling System For 1" BSP Connection Ø32 Male A Part inlet 1" BSP Connection		
YZK133S	Quick Coupling System For 1" BSP Connection <b>Set Price (B Part + A Part)</b> Ø32 Female B Part Inlet 1" BSP Connection Ø32 Male A Part inlet 1" BSP Connection		
YZK135B	Quick Coupling System For 1" NPT Connection Ø32 Female B Part Inlet 1" NPT Connection		
YZK135A	Quick Coupling System For 1" NPT Connection Ø32 Male A Part inlet 1" NPT Connection		
YZK135S	Quick Coupling System For 1" NPT Connection <b>Set (B Part + A Part)</b> Ø32 Female B Part Inlet 1" NPT Connection Ø32 Male A Part inlet 1" NPT Connection		
YZK136B	Quick Coupling System For 1" BSP Screw Connection <b>With Stop Valve</b> Inlet <b>1" BSP</b> Male Screw X Output Ø32 Female - B Part Suitable For : Atom15 - Atom22		 <p>Ø32 B Part      Ø32 A Part</p> <p>Female With Stop Valve</p> <p>1" Screw Connection</p>
YZK136A	Quick Coupling System For 1" BSP Screw Connection Inlet <b>1" BSP</b> Male Screw X Output Ø32 male - A Part Suitable For : Atom15 - Atom22		
YZK136S	Quick Coupling System For 1" BSP Screw Connection with Stop Valve <b>Set Include B Part + A Part</b> Inlet <b>1" BSP</b> Male Screw X Output 1" BSP Male Screw Suitable For : Atom15 - Atom22		
YZK138B	Quick Coupling System For 1" NPT Screw Connection <b>With Stop Valve</b> Inlet <b>1" NPT</b> Male Screw X Output Ø32 Female - B Part Suitable For : Atom15 - Atom22		
YZK138A	Quick Coupling System For 1" NPT Screw Connection Inlet <b>1" NPT</b> Male Screw X Output Ø32 male - A Part Suitable For : Atom15 - Atom22		
YZK138S	Quick Coupling System For 1" NPT Screw Connection <b>with Stop Valve</b> <b>Set Include B Part + A Part</b> Inlet <b>1" NPT</b> Male Screw X Output <b>1" NPT</b> Male Screw Suitable For : Atom15 - Atom22		
YZK136B	Quick Coupling System For 1" BSP Screw Connection <b>With Stop Valve</b> Inlet <b>1" BSP</b> Male Screw X Output Ø32 Female - B Part		 <p>Male 1" A Part with Elbow</p> <p>Female 1" B Part With Stop Valve</p>
YZK136E	Quick Coupling System For 1" BSP Screw Connection Inlet <b>1" BSP</b> Male Screw X Output Ø32 male - A Part with Elbow		
YZK136ES	Quick Coupling System For 1" BSP Screw Connection with Stop Valve <b>Set Include B Part + A Part + Elbow</b> Inlet <b>1" BSP</b> Male Screw X Output 1" BSP Male Screw Suitable For : Park Garden		

## Yuzuak Sprinklers , Connections Stands and Parts 2021 - 2 Price List







Product Code		Agronema.com info@agronea.com +49 162 9158001
<b>YZK140</b>	<b>Quick Coupling System For Sprinkler</b> <b>Inlet female 2" X Output male 1,5" For BSP Connections</b> Includes Pressure Gauge Hole With Blind Plug Output Size : 2" - 1,5" ( 3 Clamps ) Suitable For : Atom28 - B30- Atom35 - JET30 - JET35	
<b>YZK141</b>	<b>Quick Coupling System For Sprinkler</b> <b>Inlet female 2" X Output male 1,5" For NPT Connections</b> Includes Pressure Gauge Hole With Blind Plug Output Size : 2" - 1,5" ( 3 Clamps ) Suitable For : Atom28 - B30- Atom35 - JET30 - JET35	
<b>YZK142</b>	<b>Quick Coupling System For Sprinkler</b> <b>Inlet female 2" X Output male 2" For BSP Connections</b> Includes Pressure Gauge Hole With Blind Plug Output Size : 2" - 2" ( 3 Clamps ) Suitable For : Atom40 - Atom42- JET40-JET50-JET35T-JET50T-Turfjet- Dustjet - Pivojet	
<b>YZK143</b>	<b>Quick Coupling System For Sprinkler</b> <b>Inlet female 2" X Output male 2" For NPT Connections</b> Includes Pressure Gauge Hole With Blind Plug Output Size : 2" - 2" ( 3 Clamps ) Suitable For : Atom40-Atom42- JET40-JET50 - JET35T - JET50T - Turfjet - Dustjet - Pivojet	
<b>YZK144</b>	<b>Quick Coupling System For Sprinkler</b> <b>Inlet female 2,5" X Output male 2" For BSP Connections</b> Includes Pressure Gauge Hole With Blind Plug Output Size : 2" Suitable For : Atom40 - Atom42- JET40 - JET50 - JET35T - JET50T- Turfjet - Dustjet - Pivojet	
<b>YZK145</b>	<b>Quick Coupling System For Sprinkler</b> <b>Inlet female 2,5" X Output male 2" For NPT Connections</b> Includes Pressure Gauge Hole With Blind Plug Output Size : 2" Suitable For : Atom40 - Atom42- JET40 - JET50 - JET35T - JET50T - Turfjet - Dustjet	
<b>YZK146</b>	<b>Quick Coupling System For Sprinkler</b> <b>Inlet female 2,5" X Output male 2,5" For BSP Connections</b> Includes Pressure Gauge Hole With Blind Plug Output Size : 2,5" - 2,5" ( 4 Clamps ) Suitable For JET65	
<b>YZK147</b>	<b>Quick Coupling System For Sprinkler</b> <b>Inlet female 2,5" X Output male 2,5" For NPT Connections</b> Aluminum Quick Coupling Max Pressure : 10 kg/cm2 (140 psi) Includes Pressure Gauge Hole With Blind Plug Output Size : 2,5" - 2,5" ( 4 Clamps ) Suitable For : JET65	
<b>YZK148</b>	<b>Quick Coupling System For Sprinkler</b> <b>Inlet female 3" X Output male 3" For BSP Connections</b> Aluminum Quick Coupling Max Pressure : 10 kg/cm2 (140 psi) Includes Pressure Gauge Hole With Blind Plug Output Size : 3" - 3" ( 4 Clamps ) Suitable For : JET70	
<b>YZK149</b>	<b>Quick Coupling System For Sprinkler</b> <b>Inlet female 3" X Output male 3" For NPT Connections</b> Aluminum Quick Coupling Max Pressure : 10 kg/cm2 (140 psi) Includes Pressure Gauge Hole With Blind Plug Output Size : 3" - 3" ( 4 Clamps ) Suitable For : JET70	
<b>YZK062 BSP</b>	<b>Yuzuak Air Release Valve 1" Male</b> <b>For working Up To 10 bar Pressure</b>	
<b>YZK063 - NPT</b>		
<b>YZK064 - BSP</b>	<b>Yuzuak Air Release Valve 2" Female</b> <b>For working Up To 10 bar Pressure</b>	
<b>YZK065 - NPT</b>		





## Yuzuak Sprinklers , Connections Stands and Parts 2021 - 2 Price List

Product Code		Agronema.com info@agronea.com +49 162 9158001	
YZK150 - BSP	Female QC - Ø60 For Sprinkler System 1,5" Male Screw		
YZK151 - NPT			
YZK152 - BSP	Female QC - Ø60 For Sprinkler System 2" Male Screw		
YZK153 - NPT			
YZK154 - BSP	Male QC - Ø60 For Sprinkler System 2" Female Screw		
YZK155 - NPT			
YZK156 -BSP	Male QC - Ø60 For Sprinkler System 2,5" Female Screw		
YZK157 - NPT			
YZK158 - BSP	Female QC - Ø75 For Sprinkler System 2,5" male Screw		
YZK159 - NPT			
YZK160 - BSP	Male QC - Ø75 For Sprinkler System 2,5 " Female Screw		
YZK161 - NPT			
YZK162 - BSP	Female QC Ø90 For Sprinkler System 3" male Screw		
YZK163 - NPT			
YZK164 - BSP	Male QC - Ø90 For Sprinkler System 3 " Female Screw		
YZK165 - NPT			
YZK166 - BSP	78 X 130 Flange to 2,5" Female Connection ( JET65 - JET65T - Super Dustjet )		
YZK167 - NPT			
YZK168 - BSP	78 X 145 Flange to 3" Female Connection it's Suitable for 3" Quick Coupling Connector		
YZK169 - NPT			

Model Name	Product Photo	Technical Details	
Irriforce Minix TD1250-120		<p>Effective irrigation Length : 120 Meter  <b>Hose Length and Type : 60 meter - Drag Hose</b>  <b>Hose Inside Diameter : 32mm - 1 1/4"</b>            Effective Spray Width : 28 Meter - 35 Meter            Cable Length, diameter : 120 Meter - 3 mm            Raingun Type : Atom22            Flow Rate : 3,5 m3/h - 7 m3/h            Recommended Working pressure : 3 bar-7 bar            Travel Speed : 19meter/hour - 100meter/hour  <b>Travel Speed Can be Adjustable by Nozzle&amp;Pressure</b>  <b>Manuel Hose Reel System</b>            20' Container Loading Capacity : 54  <b>Weight ( kg ) : 60 kg + 43 kg ( Hose&amp;hosereel) - Box Dimension : 92cm x 60cm x 55cm</b></p>	
Irriforce Mini TD1500-100		<p>Effective irrigation Length : 100 Meter  <b>Hose Length And Inside Diameter : 50 meter - 42mm</b>            Effective Spray Width : 32 Meter - 46 Meter            Cable Length, diameter : 100 Meter - 3 mm            Raingun Type : Atom28            Flow Rate : 7m3/h - 19 m3/h            Recommended Working pressure : 3.5 bar-8 bar            Travel Speed : 7meter/hour - 70meter/hour  <b>Travel Speed Can be Adjustable by Manuel Valve</b>  <b>Manuel Hose Reel System</b>            20' Container Loading Capacity : 16  <b>Weight ( kg ) : 150 kg ( With Hose and Hosreel)</b>  <b>Box Dimension : 155cm x 85cm x 105cm</b></p>	
Irriforce Mini TD1750-130		<p>Effective irrigation Length : 130 Meter  <b>Hose Length And Inside Diameter : 66 meter - 45mm</b>            Effective Spray Width : 32 Meter - 50 Meter            Cable Length, diameter : 130 Meter - 3 mm            Raingun Type : Atom35            Flow Rate : 10m3/h - 20 m3/h            Recommended Working pressure : 3.5 bar-8 bar            Travel Speed : 7meter/hour - 60meter/hour  <b>Travel Speed Can be Adjustable by Manuel Valve</b>  <b>Manuel Hose Reel System</b>            20' Container Loading Capacity : 16  <b>Weight ( kg ) : 160 kg ( With Hose and Hosreel) - Box Dimension : 155cm x 85cm x 105cm</b></p>	
Irriforce Mini TD1750-150		<p>Effective irrigation Length : 150 Meter  <b>Hose Length And Inside Diameter : 75 meter - 45mm</b>            Effective Spray Width : 32 Meter - 50 Meter            Cable Length, diameter : 150 Meter - 3 mm            Raingun Type : Atom35            Flow Rate : 10m3/h - 20 m3/h            Recommended Working pressure : 3.5 bar-8 bar            Travel Speed : 7meter/hour - 70meter/hour  <b>Travel Speed Can be Adjustable by Manuel Valve</b>  <b>Manuel Hose Reel System</b>            20' Container Loading Capacity : 16  <b>Weight ( kg ) : 180 kg ( With Hose and Hosreel)</b>  <b>Box Dimension : 155cm x 85cm x 105cm</b></p>	
Irriforce Mini AG TD1750-200		<p>Effective irrigation Length : 200 Meter  <b>Hose Length And Inside Diameter : 100 meter - 45mm</b>            Effective Spray Width : 32 Meter - 46 Meter            Cable Length, diameter : 200 Meter - 3 mm            Raingun Type : Atom35            Flow Rate : 12m3/h - 18 m3/h            Recommended Working pressure : 3.5 bar-8 bar            Travel Speed : 7meter/hour - 60meter/hour  <b>Travel Speed Can be Adjustable by Manuel Valve</b>  <b>Manuel Hose Reel System</b>            20' Container Loading Capacity : 16  <b>Weight ( kg ) : 200 kg ( With Hose and Hosreel) Box Dimension : 155cm x 85cm x 105cm</b></p>	
Irriforce Midi Sport TD2500-150		<p>Effective irrigation Length : 150 Meter  <b>Hose Length And Inside Diameter : 75 meter - 65mm</b>            Effective Spray Width : 50 Meter - 75 Meter            Cable Length, diameter : 150 Meter - 4 mm            Raingun Type : JET50            Flow Rate : 18 m3/h - 45 m3/h            Recommended Working pressure : 3,5 bar- 8 bar            Travel Speed : 8meter/hour - 90 meter/hour  <b>Travel Speed Can be Adjustable by Mauel Valve</b>  <b>Manuel Hose Reel System</b>            20' Container Loading Capacity : 7  <b>Box Dimension 1 : 154cm x 85 cm x 105cm (210 kg)</b>  <b>Box Dimension 2 : 128cm X 95cm X 95cm ( 140kg)</b></p>	



Model Name	Product Photo	Technical Details	List Price EURO
Irriforce Midi TD2000-200		<p>Effective irrigation Lenght : 200 Meter            Hose Lenght And Inside Diameter : 100 meter - 51mm            Effective Spray Width : 40 Meter - 65 Meter            Cable Lenght, diameter : 200 Meter - 4 mm            Raingun Type : JET40            Flow Rate : 12m3/h - 30 m3/h            Recommended Working pressure : 3 bar-7.5 bar            Travel Speed : 7meter/hour - 60 meter/hour  <b>Travel Speed Can be Adjustable by Mauel Valve</b>  <b>Manuel Hose Reel System</b>            20' Container Loading Capacity : 7            Box Dimension 1 : 154cm x 85 cm x 105cm (210 kg )            Box Dimension 2 : 128cm X 95cm X 95cm ( 140kg)</p>	
Irriforce Midi TD2500-200		<p>Effective irrigation Lenght : 200 Meter            Hose Lenght And Inside Diameter : 100 meter - 65mm            Effective Spray Width : 50 Meter - 75 Meter            Cable Lenght, diameter : 200 Meter - 4 mm            Raingun Type : JET50            Flow Rate : 18m3/h - 45 m3/h            Recommended Working pressure : 4 bar- 8 bar            Travel Speed : 9meter/hour - 50 meter/hour  <b>Travel Speed Can be Adjustable by Mauel Valve</b>  <b>Manuel Hose Reel System</b>            20' Container Loading Capacity : 7            Box Dimension 1 : 154cm x 85 cm x 105cm (210 kg )            Box Dimension 2 : 128cm X 95cm X 95cm ( 140kg)</p>	
Irriforce MICO TD2000- 200		<p>Effective irrigation Lenght : 200 Meter  <b>Hose Lenght And Inside Diameter : 100meter-51mm</b>            Effective Spray Width : 40 Meter - 65 Meter            Cable Lenght, diameter : 200 Meter - 4 mm            Raingun Type : JET50            Flow Rate : 12m3/h - 30 m3/h            Recommended Working pressure : 3 bar-7.5 bar  <b>Tractor Operated Hose rewind System</b>            Travel Speed : 7meter/hour - 60 meter/hour  <b>20' Container Loading Capacity : 5</b>  <b>Weight ( kg ) : 450 kg</b>  <b>Box Dimension : 220cm X 115 cm X 165 cm</b></p>	
Irriforce MICO TD2000- 300 Twin		<p>Effective irrigation Lenght : 300 Meter  <b>Hose Lenght And Inside Diameter : 100+50 meter - 51mm</b>            Effective Spray Width : 40 Meter - 65 Meter            Cable Lenght, diameter : 300 Meter - 4 mm            Raingun Type : JET50            Flow Rate : 12m3/h - 30 m3/h            Recommended Working pressure : 3 bar-7.5 bar            Travel Speed : 7meter/hour - 50 meter/hour  <b>Tractor Operated Hose rewind System</b>  <b>20' Container Loading Capacity : 5</b>  <b>Weight ( kg ) : 500 kg</b>  <b>Box Dimension : 220cm X 115 cm X 165 cm</b></p>	
Irriforce MICO TD2500- 200		<p>Effective irrigation Lenght : 200 Meter  <b>Hose Lenght And Inside Diameter : 100 meter - 65mm</b>            Effective Spray Width : 50 Meter - 75 Meter            Cable Lenght, diameter : 200 Meter - 4 mm            Raingun Type : JET50            Flow Rate : 18m3/h - 45 m3/h            Recommended Working pressure : 4 bar- 8 bar            Travel Speed : 9meter/hour - 50 meter/hour  <b>Tractor Operated Hose rewind System</b>  <b>20' Container Loading Capacity : 5</b>  <b>Weight ( kg ) : 500 kg</b>  <b>Box Dimension : 220cm X 115 cm X 165 cm</b></p>	
Irriforce MICO X TD2500-300		<p>Effective irrigation Lenght : 300 Meter            Hose Lenght And Inside Diameter : 150meter - 65mm            Effective Spray Width : 51 Meter - 75 Meter            Cable Lenght, diameter : 300 Meter - 6 mm            Raingun Type : JET55            Flow Rate : 18m3/h - 45 m3/h            Recommended Working pressure : 4 bar-8 bar            Travel Speed : 10meter/hour - 60meter/hour  <b>20' Container Loading Capacity : 4</b>  <b>Weight ( kg ) : 560 kg</b>  <b>Box Dimension : 265 cm X 115 cm X 185 cm</b></p>	

Model Name	Product Photo	Technical Details	List Price EURO
Irriforce ECO TD2500-400		<p>Effective irrigation Length : 400 Meter            Hose Length And Inside Diameter : 200meter - 65mm            Effective Spray Width : 40 Meter - 60 Meter            Cable Length, diameter : 400 Meter - 6 mm            Raingun Type : JET55            Flow Rate : 18m<sup>3</sup>/h - 45 m<sup>3</sup>/h            Recommended Working pressure : 4 bar-8 bar            Travel Speed : 10meter/hour - 70meter/hour  <b>PTO Air Compressor Standart For Hose Clean</b>            20' Container Loading Capacity : 4            Weight ( kg ) : 790 kg            Box Dimension : 265 cm X 115 cm X 185 cm</p>	
Irriforce ECO TD3000-200		<p>Effective irrigation Length : 200 Meter            Hose Length And Inside Diameter : 100meter - 76mm            Effective Spray Width : 60 Meter - 90 Meter            Cable Length, diameter : 200 Meter - 6 mm            Raingun Type : JET55            Flow Rate : 28m<sup>3</sup>/h - 66 m<sup>3</sup>/h            Recommended Working pressure : 4 bar-8 bar            Travel Speed : 12meter/hour - 70 meter/hour            20' Container Loading Capacity : 4            Weight ( kg ) : 780 kg            Box Dimension : 265 cm X 115 cm X 185 cm  <b>Optionaly PTO Air compressor + 600 USD</b></p>	
Irriforce ECO TD3000-300		<p>Effective irrigation Length : 300 Meter            Hose Length And Inside Diameter : 150meter - 76mm            Effective Spray Width : 60 Meter - 90 Meter            Cable Length, diameter : 300 Meter - 6 mm            Raingun Type : JET55            Flow Rate : 28m<sup>3</sup>/h - 66 m<sup>3</sup>/h            Recommended Working pressure : 4 bar-8 bar            Travel Speed : 12meter/hour - 70meter/hour  <b>PTO Air Compressor Standart For Hose Clean</b>            20' Container Loading Capacity : 4            Weight ( kg ) : 800 kg            Box Dimension : 265 cm X 115 cm X 185 cm</p>	
Irriforce ECO TD3000-400		<p>Effective irrigation Length : 400 Meter            Hose Length And Inside Diameter : 200meter - 76mm            Effective Spray Width : 60 Meter - 90 Meter            Cable Length, diameter : 400 Meter - 6 mm            Raingun Type : JET55            Flow Rate : 28m<sup>3</sup>/h - 66 m<sup>3</sup>/h            Recommended Working pressure : 4 bar-8 bar            Travel Speed : 12meter/hour - 70meter/hour  <b>PTO Air Compressor Standart For Hose Clean</b>            20' Container Loading Capacity : 4            Weight ( kg ) : 850 kg            Box Dimension : 265 cm X 115 cm X 185 cm</p>	



## Product Photo








### **Irriforce Ultra TD3500-400**

Effective irrigation Length : 400 Meter  
Hose Length And Inside Diameter : 200meter 90mm Nitril  
Effective Spray Width : 60 Meter - 100 Meter  
Cable Length, diameter : 400 Meter - 8 mm  
Raingun Type : JET65  
Flow Rate : 28m<sup>3</sup>/h - 100 m<sup>3</sup>/h  
Recommended Working pressure : 4 bar-8 bar  
Travel Speed : 15meter/hour - 90meter/hour  
**3 Speed Gearbox + Air compressor**  
20' Container Loading Capacity : 1 - 40' Container Loading Capacity : 3  
Weight ( kg ) : 1300 kg - Box Dimension : 310 cm X 140 cm X 185 cm

### **Irriforce Ultra TD3500-500**

Effective irrigation Length : 500 Meter  
Hose Length And Inside Diameter : 250meter - 90mm TPU  
Effective Spray Width : 60 Meter - 100 Meter  
Cable Length, diameter : 500 Meter - 8 mm  
Raingun Type : JET65  
Flow Rate : 28m<sup>3</sup>/h - 100 m<sup>3</sup>/h  
Recommended Working pressure : 4 bar-8 bar  
Travel Speed : 15meter/hour - 90meter/hour  
**3 Speed Gearbox + Air Compressor**  
20' Container Loading Capacity : 1 - 40' Container Loading Capacity : 3  
Weight ( kg ) : 1450 kg - Box Dimension : 310 cm X 140 cm X 185 cm

Model Name	Product Photo	Technical Details	List Price EURO
HR001		<p>It's have Capacity for Maximum 60meter          Hose lenght for 1" and 1,25" , 1.5" hose          List price doesn't include hose  <b>Reel Outsite Diameter 45cm</b></p>	
HR002		<p>It's have Capacity for Maximum 70meter          Hose lenght for 1,25" , 1.5" ,1,75" hose          List price doesn't include hose  <b>Reel Outsite Diameter 80cm</b></p>	
HR003		<p>It's have Capacity for Maximum 150meter          Hose lenght for 2" and 2.5" hose          List price doesn't include hose  <b>Reel Outsite Diameter 80cm</b></p>	
HR004		<p>It's have Capacity for Each Reel 2,5"- 3" 50          meter Hose X 4 Roll , Total Reel Can be          Collect 200meter Hose lenght for up to 3"          hose List          price doesn't include hose  <b>Reel Outsite Diameter 80cm</b>  <b>Dimensions : 125cm X 95 cm X 95 cm</b>  <b>Weight : 70 kg</b></p>	
HR005		<p>It's have Capacity for Maximum 200meter          Hose lenghts for 2,5" and 3" hose          These model operated by PTO Gearbox          List price doesn't include hose  <b>Reel Outsite Diameter 130cm</b>  <b>Dimensions : 210cm X 115 cm X 185 cm</b>  <b>Weight : 155 kg</b></p>	

Yuzuak Irrigation Systems  
Low Cost , Easy to Install  
Make your own Irrigation System Byself



# Yuzuak Irrigation Systems 2021 - 2 Price List












Product Code	Agronema.com info@agronema.com +49 162 9158001	List Price EURO	Product Photo
<b>Make Your Own Irrigation KIT with Local PVC Pipes</b>			
PVC1	Coupling For 2" - 60mm PVC Pipe - Ø63 Male ( Black )		
PVC2	Coupling For 2" - 60mm PVC Pipe - Ø63 Female (Black)		
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be <b>60,1mm</b> , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 5 kg / cm2			
PVC3	Coupling For 63mm PVC Pipe - Ø63 Male ( Green )		
PVC4	Coupling For 63mm PVC Pipe - Ø63 Female (Green )		
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be <b>63mm</b> , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 5 kg / cm2			
PVC5	Coupling For 75mm PVC Pipe - Ø75 Male ( Blue )		
PVC6	Coupling For 75mm PVC Pipe - Ø75 Female (Blue)		
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be <b>75mm</b> , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 5 kg / cm2			
PVC7	Coupling For 76mm PVC Pipe - Ø75 Male ( Yellow )		
PVC8	Coupling For 76mm PVC Pipe - Ø75 Female (Yellow )		
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be <b>76mm</b> , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 5 kg / cm2			
PVC9	Coupling For 3"- 89mm PVC Pipe - Ø90 Male ( Turquoise )		
PVC10	Coupling For 3"- 89mm PVC Pipe - Ø90 Female ( Turquoise )		
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be <b>89mm</b> , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 6 kg / cm2			
PVC11	Coupling For 90mm PVC Pipe - Ø90 Male ( Cream )		
PVC12	Coupling For 90mm PVC Pipe - Ø90 Female ( Cream )		
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be <b>90mm</b> , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 6 kg / cm2			
PVC13	Coupling For 110mm PVC Pipe - Ø110 Male ( Brown )		
PVC14	Coupling For 110mm PVC Pipe - Ø110 Female (Brown)		
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be <b>110mm</b> , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 6 kg / cm2			
PVC15	Coupling For 4"- 114mm PVC Pipe - Ø110 Male (Dark Green)		
PVC16	Coupling For 4"- 114mm PVC Pipe - Ø110 Female (Dark Green)		
These Coupling Designed For PVC Pipes , PVC Pipe outside have to be <b>114mm</b> , Couplings Should be attached to pvc pipes by using PVC Glue Maximum Working Pressure 6 kg / cm2			







# Yuzuak Irrigation Systems 2021 - 2 Price List



Product Code	Agronema.com info@agronema.com +49 162 9158001	List Price EURO	Product Photo
PS001	2" - Ø63mm - QC Pipe System Price For 5.8 Meter Pipe length - <b>PN5</b>		
PS002A	2, 5" - Ø75 mm - QC Pipe System Price For 5.8 Meter Pipe length - <b>PN5</b>		
PS003	3" - Ø90 mm - QC Pipe System Price For 5.8 Meter Pipe length - <b>PN5</b>		
PS004A	4" - Ø110 mm - QC Pipe System Price For 5.8 Meter Pipe length - <b>PN6</b>		
PS004	4" - Ø110 mm - QC Pipe System Price For 5.8 Meter Pipe length - <b>PN8</b>		
PS005	5" - Ø125 mm - QC Pipe System Price For 5.8 Meter Pipe length - <b>PN8</b>		
PS006	6" - Ø160 mm - QC Pipe System Price For 5.8 Meter Pipe length - <b>PN8</b>		
PS010	2" - 63mm Male End CAP		<p><b>Bling Plug</b></p>
PS011	2, 5" - 75 mm Male End CAP		
PS012	3" - 90 mm Male End CAP		
PS013	4" - 110 mm Male End CAP		
PS014	5" - 125 mm Male End CAP		
PS015	6" - 160 mm Male End CAP		
PS020	2" - 63mm Elbow		<p><b>ELBOW</b></p>
PS021	2, 5" - 75 mm Elbow		
PS022	3" - 90 mm Elbow		
PS023	4" - 110 mm Elbow		
PS024	5" - 125 mm Elbow		
PS025	6" - 160 mm Elbow		
PS030	75 / 63 mm Reduction		<p><b>REDUCTION</b></p>
PS031	90 / 75 mm Reduction		
PS032	110 / 75 mm Reduction		
PS033	110 / 90 mm Reduction		
PS034	125 / 75 mm Reduction		
PS035	125 / 90 mm Reduction		
PS036	125 / 110 mm Reduction		
PS037	160 / 110 mm Reduction		
PS038	160 / 125 mm Reduction		
PS040	63mm / 63mm TE		<p><b>TE</b></p>
PS041	75mm / 63mm TE		
PS042	75mm / 75mm TE		
PS043	90mm / 75mm TE		
PS044	90mm / 90mm TE		
PS045	110mm / 75mm TE		
PS046	110mm / 90mm TE		
PS047	110mm / 110mm TE		
PS048	125mm / 75mm TE		
PS049	125mm / 90mm TE		
PS050	125mm / 110mm TE		
PS051	125mm / 125mm TE		
PS052	160mm / 110mm TE		
PS053	160mm / 125mm TE		
PS054	160mm / 160mm TE		
PS054CT	63mm / 63mm Cross TE		<p><b>Cross TE</b></p>
PS055CT	75mm / 63mm Cross TE		
PS056CT	75mm / 75mm Cross TE		
PS057CT	90mm / 75mm Cross TE		
PS058CT	90mm / 90mm Cross TE		
PS059CT	110mm / 75mm Cross TE		
PS060CT	110mm / 90mm Cross TE		
PS061CT	110mm / 110mm Cross TE		
PS062CT	125mm / 75mm Cross TE		
PS063CT	125mm / 90mm Cross TE		
PS064CT	125mm / 110mm Cross TE		
PS065CT	125mm / 125mm Cross TE		
PS066CT	160mm / 125mm Cross TE		








Product Code	Agronema.com info@agronea.com +49 162 9158001	List Price EURO	Product Photo
PS-ES1	3" - Ø90 mm ES Part fo Pump Outlet		
PS-ES2	4" - Ø110 mm ES Part fo Pump Outlet		
PS-ES3	5" - Ø125 mm ES Part fo Pump Outlet		
PS-ES4	6" - Ø160 mm ES Part fo Pump Outlet		
PS070	2" - 63mm Plastic Line Valve - PN5		
PS071	2, 5" - 75 mm Plastic Line Valve - PN5		
PS072	3" - 90 mm Plastic Line Valve - PN5		
PS073	4" - 110 mm Plastic Line Valve - PN5		
PS080	2" - 63 mm - Abot 1" Outlet		
PS081	2, 5" - 75 mm - Abot 1" Outlet		
PS082	3" - 90 mm - Abot 1" Outlet		
PS083	4" - 110 mm - Abot 1" Outlet		
PS085	1" PVC Riser 60 cm		
PS086	1" Aluminium Riser 75cm		
PS090	Ø32mm Gasket		 Gasket
PS091	Ø51mm Gasket		
PS092	Ø63mm Gasket		
PS093	Ø75mm Gasket		
PS094	Ø90mm Gasket		
PS095	Ø110mm Gasket		
PS096	Ø125mm Gasket		
PS097	Ø160mm Gasket		
PS100	Suction Pipe 2" PVC - 51mm 6mt Roll		
PS101	Suction Pipe 3" PVC - 76mm 6mt Roll		
PS102	Suction Pipe 4" PVC - 101mm 8mt Roll		
PS103	Suction Pipe 5" PVC - 125mm 8mt Roll		
PS110	63mm Female Pump Outlet QC - 2" Male Screw BSP		
PS111	75mm Female Pump Outlet QC - 3" Male Screw BSP		
PS112	90mm Female Pump Outlet QC - 3,5" Male Screw BSP		
PS113	90mm Female Pump Outlet QC - 4" Male Screw BSP		
PS114	110mm Female Pump Outlet QC - 4" Male Screw BSP		
PS115	125mm Female Pump Outlet QC - 5" Male Screw BSP		
PS116	160mm Female Pump Outlet QC - 6" Male Screw BSP		
PS119	Suction Valve - 2" - 51mm with 4 pcs Clamp		
PS120	Suction Valve - 3" - 76mm with 4 pcs Clamp		
PS121	Suction Valve - 4" - 101mm with 4 pcs Clamp		
PS122	Suction Valve - 5" - 125mm with 4 pcs Clamp		
SCT001	Suction Quick Coupling Set 3" Pump Side 75mm Male BSP - 2,5" Screw - Hose Side 3" Barbed		
SCT002	Suction Quick Coupling Set 4" Pump Side 110mm BSP Male - 4" Screw - Hose Side 4" Male		
SCT003	Suction Quick Coupling Set 5" Pump Side 125mm BSP Male - 5" Screw - Hose Side 5" Male		













Product Code	Agronema.com info@agronea.com +49 162 9158001	List Price EURO	Product Photo
Hydrant001	2,5" - 75 mm Male Hydrant - BSP Male Screw		 <p data-bbox="1077 380 1181 448">Female Hydrant</p> <p data-bbox="1372 515 1484 582">Male Hydrant</p>
Hydrant002	2,5" - 75 mm Male Hydrant - NPT Male Screw		
Hydrant003	2,5" - 75 mm Female Hydrant		
Hydrant004	3" - 90 mm Male Hydrant - BSP Male Screw		
Hydrant005	3" - 90 mm Male Hydrant - NPT Male Screw		
Hydrant006	3" - 90 mm Female Hydrant		
Hydrant007	4" - 110 mm Male Hydrant - BSP Male Screw		
Hydrant008	4" - 110 mm Male Hydrant - NPT Male Screw		
Hydrant009	4" - 110 mm Female Hydrant - BSP		
Hydrant020T	Hydrant TE For 90 mm QC pipe x 75mm - 2,5" male Outlet		
Hydrant021T	Hydrant TE For 110 mm QC pipe x 75mm - 2,5" male Outlet		
Hydrant022T	Hydrant TE For 110 mm QC pipe x 90mm - 3" male Outlet		
Hydrant023T	Hydrant TE For 125 mm QC pipe x 90mm - 3" male Outlet		
Hydrant020	Hydrant Set For 90 mm QC pipe x 75mm - 2,5" Female Outlet		
Hydrant021	Hydrant Set For 110 mm QC pipe x 75mm - 2,5" Female Outlet		
Hydrant022	Hydrant Set For 110 mm QC pipe x 90mm - 3" Female Outlet		
Hydrant023	Hydrant Set For 125 mm QC pipe x 90mm - 3" Female Outlet		







# Yuzuak Irrigation Systems 2021 - 2 Price List



Product Code	Agronema.com info@agronema.com +49 162 9158001	List Price EURO	Product Photo
YZK130A	Ø25mm <b>Male A Part</b> Coupling For 25mm - 1" Layflat&Thermo Hose - 1 Clamp		<p><b>A Part</b></p>  
YZK132A	Ø32mm <b>Male A Part</b> Coupling For 32mm - 1,25" Layflat&Thermo Hose - 1 Clamp		
LYF001A	Ø51mm <b>Male A Part</b> Coupling For 38mm - 1,5" Layflat Hose - 2 Clamp		
LYF002A	Ø63mm <b>Male A Part</b> Coupling for 51mm - 2" Layflat Hose - 2 Clamp		
LYF003A	Ø63mm <b>Male A Part</b> Coupling for 55mm - 2,2" Drag Hose - 3 Clamp		
LYF004A	Ø75mm <b>Male A Part</b> Coupling For 65mm - 2,5" Layflat Hose - <b>2 Clamp</b>		
LYF005A2	Ø75mm <b>Male A Part</b> Coupling For 76mm - 3" Layflat Hose - <b>2 Clamp</b>		
LYF005A	Ø75mm <b>Male A Part</b> Coupling For 76mm - 3" Layflat Hose - <b>3 Clamp</b>		
LYF006A	Ø90mm <b>Male A Part</b> Coupling for 90mm - 3,5" Layflat Hose - 4 Clamp		
YZK130B	Ø25mm <b>Female B Part</b> Coupling For 25mm - 1" Layflat & Thermo Hose		<p><b>B Part</b></p> 
YZK132B	Ø32mm <b>Female B Part</b> Coupling For 32mm - 1,25" Layflat Hose		
LYF001B	Ø51mm <b>Female B Part</b> Coupling For 38mm - 1,5" Layflat Hose		
LYF002B	Ø63mm <b>Female B Part</b> Coupling For 51mm - 2" Layflat Hose		
LYF003B	Ø63mm <b>Female B Part</b> Coupling for 55mm - 2,2" Drag Hose		
LYF004B	Ø75mm <b>Female B Part</b> Coupling For 65mm - 2,5" Layflat Hose		
LYF005B	Ø75mm <b>Female B Part</b> Coupling For 76mm - 3" Layflat Hose		
LYF006B	Ø90mm <b>Female B Part</b> Coupling For 90mm - 3,5" For Layflat Hose		
LYF020	2" 100 Meter <b>8 Bar</b> PVC Lay Flat		
LYF021	2,5" 100 Meter <b>8 Bar</b> PVC Lay Flat		
LYF022	3" 100 Meter <b>8 Bar</b> PVC Lay Flat		
LYF023	3,5" 50 Meter <b>6 Bar</b> PVC Lay Flat		
LYF024	4" 50 Meter <b>5 Bar</b> PVC Lay Flat		
THERMO-01	1" - 25mm , 50 Meter <b>6 Bar</b> Thermo Nitril Irrigation Hose		
THERMO-02	1,25" - 32mm , 50 Meter <b>6 Bar</b> Thermo Nitril Irrigation Hose		
DRAG001A	1,25" - 32mm , 60 Meter <b>12 Bar</b> PVC Drag Hose - Yellow		
DRAG001B	1,25" - 32mm , 60 Meter <b>12 Bar</b> Nitril Drag Hose - Red		
DRAG002A	1,5" - 38mm , 66 Meter <b>12 Bar</b> Nitril Drag Hose		
DRAG002B	1,75" - 45mm , 66 Meter <b>12 Bar</b> Nitril Drag Hose		
DRAG003	2" - 51mm , 100 Meter <b>14 Bar</b> Nitril Drag Hose		
DRAG004	2,2" - 55mm , 100 Meter <b>16 Bar</b> Nitril Drag Hose		
DRAG005A	2,5" - 65mm , 75 Meter <b>16 Bar</b> Nitril Drag Hose		
DRAG005B	2,5" - 65mm , 100 Meter <b>16 Bar</b> Nitril Drag Hose		
DRAG005C	2,5" - 65mm , 150 Meter <b>16 Bar</b> Nitril Drag Hose		
DRAG006A	3" - 76mm , 100 Meter <b>16 Bar</b> Nitril Drag Hose		
DRAG006B	3" - 76mm , 150 Meter <b>16 Bar</b> Nitril Drag Hose		
DRAG007	3,5" - 90mm , 100 Meter <b>16 Bar</b> Nitril Drag Hose		
CLMP00T1	1" Clamp For Thermo Hose		
CLMP00T2	1,25" Clamp For Thermo Hose		
CLMP001	1,25" Clamp For LayFlat		
CLMP002	1,5" Clamp For LayFlat		
CLMP003	2" Clamp For LayFlat		
CLMP004	2,5" Clamp for LayFlat		
CLMP005	3" Clamp for LayFlat		
CLMP006	3,5" Clamp for Layflat		




Product Code	Agronema.com info@agronea.com +49 162 9158001	List Price EURO
P001		<p><b>2,5 HP Gasoline Motopump Self Suction</b></p> <p>CAPACITY - PRESSURE DIAGRAM</p>  <p>Suction 1" , Outlet 1" Female</p>
P002		<p><b>6,5 HP Gasoline Motopump Self Suction</b></p> <p>CAPACITY - PRESSURE DIAGRAM</p>  <p>Suction 2" , Outlet 2" Female</p>
P002M		<p><b>6,5 HP Gasoline Multi Stage Motorpump</b></p> <p>CAPACITY - PRESSURE DIAGRAM</p>  <p>Suction 2" , Outlet 1,5" Female</p>
P003 - 13G-325/10		<p><b>13 HP Gasoline Motopump High Pressure - Electric Start</b></p> <p>CAPACITY - PRESSURE DIAGRAM</p>  <p>Suction 3" , Outlet 2,5" Female</p>
P004 - 20G - 325/15		<p><b>20 HP Gasoline Motopump High Pressure - Electric Start</b></p> <p>CAPACITY - PRESSURE DIAGRAM</p>  <p>Suction 3" , Outlet 2,5" Female</p>

Product Code	Agronema.com info@agronea.com +49 162 9158001		List Price EURO
<b>P006 - 12D - 325/10</b>		<p align="center"><b>12 HP Diesel Motopump High Pressure - Electric Start</b></p> <p align="center">CAPACITY - PRESSURE DIAGRAM</p> 	Suction 3" , Outlet 2,5" Female
<b>P009 - 17D</b>		<p align="center"><b>17 HP Diesel Motopump 1 Stage - Electric Start</b></p> <p align="center">CAPACITY - PRESSURE DIAGRAM</p> 	Suction 4" , Outlet 4" Female
<b>P011 - 19D - 50B2/15</b>		<p align="center"><b>19 HP Diesel - 2 Cylinders Motopump 2 Stage - Electric Start</b></p> <p align="center">CAPACITY - PRESSURE DIAGRAM</p> 	Suction 3" , Outlet 2,5" Female


Agronema.com  
 info@agronea.com  
 +49 162 9158001




**P011- 22D - SL540/20**  
 22HP Diesel Motopump Water Cooler - 3 Cylinders - 1 Stage High Volume  
 Suction 5" - Outlet 4"




**P012- 22D - SD325/20**  
 22 HP Diesel Motopump Water Cooler - 3 Cylinders - 1 Stage High Pressure  
 Suction 3" - Outlet 2,5"




**P013- 22D - KP500B2/20**  
 22 HP Diesel Motopump Water Cooler - 3 Cylinders - 2 Stage High Pressure  
 Suction 3" - Outlet 2,5"




**P014- 45D - SD430/40**  
 45 HP Diesel Motopump Water Cooler - 4 Cylinders -  
 1 Stage High Volume Medium Pressure with Trailer  
 Suction 3" - Outlet 2,5"













**P014- 45D - KP65B3/50**  
 P015 - 45 HP Diesel Motopump Water Cooler - 4 Cylinders  
 3 Stage High Pressure with Trailer  
 Suction 4" - Outlet 3"



**P015- 45D - KP500B4/40**  
 P015 - 45 HP Diesel Motopump Water Cooler - 4 Cylinders  
 4 Stage High Pressure with Trailer  
 Suction 4" - Outlet 3"



Product Code	Agronema.com info@agronea.com +49 162 9158001	List Price EURO																														
P020		<p data-bbox="826 309 1203 331"><b>DuCaR Pump 50 Inlet Size 3" Outlet Size 2,5"</b></p> <p data-bbox="890 353 1059 371">CAPACITY- PRESSURE DIAGRAM</p>  <table border="1" data-bbox="730 376 1225 600"> <caption>Data for DuCaR Pump 50 Capacity-Pressure Diagram</caption> <thead> <tr> <th>Capacity (m3/h)</th> <th>Pressure (hm mss)</th> </tr> </thead> <tbody> <tr><td>10</td><td>80</td></tr> <tr><td>15</td><td>79</td></tr> <tr><td>20</td><td>77</td></tr> <tr><td>25</td><td>74</td></tr> <tr><td>30</td><td>69</td></tr> <tr><td>35</td><td>63</td></tr> <tr><td>40</td><td>55</td></tr> <tr><td>42</td><td>50</td></tr> </tbody> </table>	Capacity (m3/h)	Pressure (hm mss)	10	80	15	79	20	77	25	74	30	69	35	63	40	55	42	50												
Capacity (m3/h)	Pressure (hm mss)																															
10	80																															
15	79																															
20	77																															
25	74																															
30	69																															
35	63																															
40	55																															
42	50																															
P021-3		<p data-bbox="820 629 1209 651"><b>DuCaR Pump 65-3 Inlet Size 3" Outlet Size 2,5"</b></p> <p data-bbox="900 680 1066 698">CAPACITY- PRESSURE DIAGRAM</p>  <table border="1" data-bbox="730 703 1283 994"> <caption>Data for DuCaR Pump 65-3 Capacity-Pressure Diagram</caption> <thead> <tr> <th>Capacity (m3/h)</th> <th>Pressure (hm mss)</th> </tr> </thead> <tbody> <tr><td>10</td><td>130</td></tr> <tr><td>20</td><td>125</td></tr> <tr><td>30</td><td>118</td></tr> <tr><td>40</td><td>110</td></tr> <tr><td>50</td><td>102</td></tr> <tr><td>60</td><td>90</td></tr> <tr><td>70</td><td>70</td></tr> <tr><td>75</td><td>42</td></tr> </tbody> </table>	Capacity (m3/h)	Pressure (hm mss)	10	130	20	125	30	118	40	110	50	102	60	90	70	70	75	42												
Capacity (m3/h)	Pressure (hm mss)																															
10	130																															
20	125																															
30	118																															
40	110																															
50	102																															
60	90																															
70	70																															
75	42																															
P021		<p data-bbox="833 1021 1197 1043"><b>DuCaR Pump 80 Inlet Size 4" Outlet Size 4"</b></p> <p data-bbox="890 1077 1059 1095">CAPACITY- PRESSURE DIAGRAM</p>  <table border="1" data-bbox="730 1099 1257 1346"> <caption>Data for DuCaR Pump 80 Capacity-Pressure Diagram</caption> <thead> <tr> <th>Capacity (m3/h)</th> <th>Pressure (hm mss)</th> </tr> </thead> <tbody> <tr><td>10</td><td>78</td></tr> <tr><td>20</td><td>75</td></tr> <tr><td>30</td><td>70</td></tr> <tr><td>40</td><td>68</td></tr> <tr><td>50</td><td>68</td></tr> <tr><td>60</td><td>67</td></tr> <tr><td>70</td><td>64</td></tr> <tr><td>80</td><td>58</td></tr> <tr><td>90</td><td>52</td></tr> <tr><td>100</td><td>45</td></tr> <tr><td>110</td><td>38</td></tr> <tr><td>120</td><td>32</td></tr> <tr><td>130</td><td>30</td></tr> <tr><td>140</td><td>30</td></tr> </tbody> </table>	Capacity (m3/h)	Pressure (hm mss)	10	78	20	75	30	70	40	68	50	68	60	67	70	64	80	58	90	52	100	45	110	38	120	32	130	30	140	30
Capacity (m3/h)	Pressure (hm mss)																															
10	78																															
20	75																															
30	70																															
40	68																															
50	68																															
60	67																															
70	64																															
80	58																															
90	52																															
100	45																															
110	38																															
120	32																															
130	30																															
140	30																															
P022		<p data-bbox="826 1379 1203 1402"><b>DuCaR Pump 80/2 Inlet Size 4" Outlet Size 4"</b></p> <p data-bbox="884 1424 1069 1442">CAPACITY- PRESSURE DIAGRAM</p>  <table border="1" data-bbox="730 1447 1267 1715"> <caption>Data for DuCaR Pump 80/2 Capacity-Pressure Diagram</caption> <thead> <tr> <th>Capacity (m3/h)</th> <th>Pressure (hm mss)</th> </tr> </thead> <tbody> <tr><td>100</td><td>90</td></tr> <tr><td>125</td><td>75</td></tr> <tr><td>150</td><td>60</td></tr> <tr><td>175</td><td>45</td></tr> <tr><td>180</td><td>40</td></tr> </tbody> </table>	Capacity (m3/h)	Pressure (hm mss)	100	90	125	75	150	60	175	45	180	40																		
Capacity (m3/h)	Pressure (hm mss)																															
100	90																															
125	75																															
150	60																															
175	45																															
180	40																															
P023		<p data-bbox="829 1753 1200 1776"><b>DuCaR Pump 125 Inlet Size 5" Outlet Size 5"</b></p> <p data-bbox="900 1798 1066 1816">CAPACITY- PRESSURE DIAGRAM</p>  <table border="1" data-bbox="730 1821 1299 2089"> <caption>Data for DuCaR Pump 125 Capacity-Pressure Diagram</caption> <thead> <tr> <th>Capacity (m3/h)</th> <th>Pressure (hm mss)</th> </tr> </thead> <tbody> <tr><td>20</td><td>80</td></tr> <tr><td>40</td><td>80</td></tr> <tr><td>60</td><td>80</td></tr> <tr><td>80</td><td>78</td></tr> <tr><td>100</td><td>75</td></tr> <tr><td>120</td><td>70</td></tr> <tr><td>140</td><td>65</td></tr> <tr><td>160</td><td>58</td></tr> <tr><td>180</td><td>50</td></tr> </tbody> </table>	Capacity (m3/h)	Pressure (hm mss)	20	80	40	80	60	80	80	78	100	75	120	70	140	65	160	58	180	50										
Capacity (m3/h)	Pressure (hm mss)																															
20	80																															
40	80																															
60	80																															
80	78																															
100	75																															
120	70																															
140	65																															
160	58																															
180	50																															